




4 in 1 4MP IR Eyeball Camera

IV-DEF288S4MP-FH

Features:

- . 1/2.7" CMOS Sensor
- . 4MP @ TVI/CVI/AHD/CVBS
- . 2560 x 1440, 3.6mm lens
- . AGC, AWB, AES, 2D DNR, D-WDR
- . Multi Languages OSD Control from Recorder
- . 12 pcs IR LEDs, up to 82ft IR distance
- . DC12V



Junction Box
IV-JBK01W (optional)

**HD CVI/HD TVI/AHD/ANALOG Output
Selectable from Water Proof Toggle Switch**



SPECIFICATION	IV-DEF288S4MP-FH
Horizontal Resolution	4MP@ TVI / CVI / AHD / CVBS
Image Sensor	1/2.7" CMOS Sensor
Signal System	NTSC/PAL
Effective Pixels	2560(H) x 1440(V)
Min. Illumination	0 Lux (IR on)
Synchronization	Internal synchronization
Video Output	CVI,TVI ,AHD (4MP@25fps, 4MP@30fps, 4MP@15fps, 1080P@25fps, 1080p@30fps) CVBS
S/N Ratio	35dB(AGC OFF)
NR	2D DNR
Shutter	Auto
Day&Night	Ext/Auto / Color / B&W
White Balance	Auto / Manual
OSD	English / Chinese/Traditional Chinese
AGC	Auto
IR LED	12pcs High power IR LED
Lens	3.6mm
IR Range	82ft (25m)
Power Supply	DC12V±10%
Power Consumption	< 4W
Weight	0.66lbs (300g)
IP Rating	IP66
Storage Temperature	-4°F ~ 140°F (-20°C ~ 60°C)
Working Temperature/Humidity	14°F ~ 140°F (-10°C ~60°C)
Working Humidity	Humidity 90% or less (non-condensing)